POWER PUSHER PRO (TRACE)

Imperial	8' x 30"	8' x 36"	10' x 30"	10' x 36"	12' x 30"	12' x 42"	14' x 30"	14' x 42"	16' x 30"	16' x 42"
Moldboard	Powder-C	Powder-C	Powder-C	Powder-C	Powder-C	Powder-C	Powder-C	Powder-C	Powder-C	Powder-C
Options	oated	oated	oated	oated	oated	oated	oated	oated	oated	oated
	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel
Blade	Pusher	Pusher	Pusher	Pusher	Pusher	Pusher	Pusher	Pusher	Pusher	Pusher
Туре										
Vehicle	Skid-Steer	Tractor /	Skid-Steer	Tractor /	Compact	Tractor /	Compact	Wheel	Compact	Wheel
Compatibil		Wheel		Wheel	Wheel	Wheel	Wheel	Loader	Wheel	Loader
ity		Loader		Loader	Loaders,	Loader	Loaders,		Loaders,	
,					Wheel		Wheel		Wheel	
					Loaders		Loaders		Loaders	
					(9,000-25,		(9,000-25,		(9,000-25,	
					000 lb),		000 lb),		000 lb),	
					Skid		Skid		Skid	
					Steers		Steers		Steers	
					(9,000		(9,000		(9,000	
					(b+),		(b+),		(b+),	
					Tractors		Tractors		Tractors	
Approx.	2,533 lb	2,628 lb	2,770 lb	2,822 lb	2,950 lb	3,197 lb	3,317 lb	3,666 lb	3,551 lb	3,855 lb
Weight*	2,000 10	2,020 15	2,77010	2,022 10	2,000 10	0,107 10	0,017 10	0,000 10	0,001 10	0,000 10
(Without										
Mount)										
Applicatio	8,000 lb	10,000 lb	9,000 lb	12,000 lb	25,000 lb	25,000 lb	25,000 lb	30,000 lb	25,000 lb	35,000 lb
n Weight	0,000 15	10,000 15	3,000 15	12,000 15	20,000 15	25,000 15	20,000 15	30,000 15	25,000 15	33,000 15
(Max										
Operating										
Weight)										
Horsepow	45+ hp	40+ hp	60+ hp	50+ hp	40+ hp	100+ hp	40+ hp	140+ hp	40+ hp	140+ hp
	(Skid-Stee		(Skid-Stee	·	1	(Wheel		(Wheel	1	(Wheel
er Compatibil	*	(Tractor)	·	(Tractor)	(Tractor)	`	(Tractor)	`	(Tractor)	,
Compatibil	1)	& 60+ hp	r)	& 60+ hp	60+ hp	Loader &	60+ hp	Loader &	60+ hp	Loader &
ity		(Wheel		(Wheel	(Wheel	Backhoe)	(Wheel	Backhoe)	(Wheel	Backhoe)
		Loader &		Loader &	Loader)		Loader)		Loader)	
Diada	8'	Backhoe) 8'	10'	Backhoe)	12'	12'	14'	14'	4.01	16'
Blade	8	8	10	10'	12	12	14	14	16'	16
Width	00"	36"	00"	00"	00"	40"	00"	40"	00"	40"
Blade	30"	36	30"	36"	30"	42"	30"	42"	30"	42"
Height	20"	201	20"	201	20"	20"	20"	20"	20"	201
Side Plate	36"	36"	36"	36"	36"	36"	36"	36"	36"	36"
Width	00"	00"	00"	00"	00"	40"	40"	40"	40"	40"
Side Plate	30"	36"	30"	36"	30"	42"	42"	42"	42"	42"
Height										
Moldboard	27"	27"	27"	27"	27"	46"	27"	46"	27"	46"
Radius										
Approx.	75 cu ft	108 cu ft	94 cu ft	135 cu ft	113 cu ft	219 cu ft	132 cu ft	250 cu ft	151 cu ft	280 cu ft
Snow										
Capacity										

POWER PUSHER PRO (TRACE)

Cutting	TRACE	TRACE	TRACE	TRACE	TRACE	TRACE	TRACE	TRACE	TRACE	TRACE
Edge	Terrain	Terrain	Terrain	Terrain	Terrain	Terrain	Terrain	Terrain	Terrain	Terrain
Technolog	Response	Response	Response	Response	Response	Response	Response	Response	Response	Response
у	Advanced	Advanced	Advanced	Advanced	Advanced	Advanced	Advanced	Advanced	Advanced	Advanced
	Cutting	Cutting	Cutting	Cutting	Cutting	Cutting	Cutting	Cutting	Cutting	Cutting
	Edge	Edge	Edge	Edge	Edge	Edge	Edge	Edge	Edge	Edge
Cutting	High-Carb	High-Carb	High-Carb	High-Carb	High-Carb	High-Carb	High-Carb	High-Carb	High-Carb	High-Carb
Edge	on Steel	on Steel	on Steel	on Steel	on Steel	on Steel	on Steel	on Steel	on Steel	on Steel
Material	With	With	With	With	With	With	With	With	With	With
	Carbide	Carbide	Carbide	Carbide	Carbide	Carbide	Carbide	Carbide	Carbide	Carbide
	Inserts	Inserts	Inserts	Inserts	Inserts	Inserts	Inserts	Inserts	Inserts	Inserts
Mount	Skid-Steer	Skid-Steer	Skid-Steer	Skid-Steer	Coupler	Coupler	Coupler	Coupler	Coupler	Coupler
Туре	Attach	Attach	Attach	Attach						
	Plate	Plate /	Plate	Plate /						
		Coupler		Coupler						

Metric	8' x 30"	8' x 36"	10' x 30"	10' x 36"	12' x 30"	12' x 42"	14' x 30"	14' x 42"	16' x 30"	16' x 42"
Models	8' x 30"	8' x 36"	10' x 30"	10' x 36"	12' x 30"	12' x 42"	14' x 30"	14' x 42"	16' x 30"	16' x 42"
Moldboard	Powder-C									
Options	oated									
	Steel									
Blade	Pusher									
Туре										
Vehicle	Skid-Steer	Tractor /	Skid-Steer	Tractor /	Compact	Tractor /	Compact	Wheel	Compact	Wheel
Compatibil		Wheel		Wheel	Wheel	Wheel	Wheel	Loader	Wheel	Loader
ity		Loader		Loader	Loaders,	Loader	Loaders,		Loaders,	
					Wheel		Wheel		Wheel	
					Loaders		Loaders		Loaders	
					(9,000-25,		(9,000-25,		(9,000-25,	
					000 lb),		000 lb),		000 lb),	
					Skid		Skid		Skid	
					Steers		Steers		Steers	
					(9,000		(9,000		(9,000	
					lb+),		lb+),		lb+),	
					Tractors		Tractors		Tractors	
Approx.	1,148.9 kg	1,192.0 kg	1,256.5 kg	1,280.1 kg	1,340.9 kg	1,450.1 kg	1,507.7 kg	1,662.9 kg	1,614.1 kg	1,748.6 kg
Weight*										
(Without										
Mount)										
Applicatio	3,628.7 kg	4,535.9 kg	4,082.3 kg	5,443.1 kg	11,339.8	11,339.8	11,339.8	13,607.8	11,339.8	15,875.7
n Weight					kg	kg	kg	kg	kg	kg
(Max										
Operating										
Weight)										

POWER PUSHER PRO (TRACE)

Horsepow	45+ hp	40+ hp	60+ hp	50+ hp	40+ hp	100+ hp	40+ hp	140+ hp	40+ hp	140+ hp
er	(Skid-Stee	(Tractor)	(Skid-Stee	(Tractor)	(Tractor)	(Wheel	(Tractor)	(Wheel	(Tractor)	(Wheel
Compatibil	r)	& 60+ hp	r)	& 60+ hp	60+ hp	Loader &	60+ hp	Loader &	60+ hp	Loader &
ity		(Wheel		(Wheel	(Wheel	Backhoe)	(Wheel	Backhoe)	(Wheel	Backhoe)
		Loader &		Loader &	Loader)		Loader)		Loader)	
		Backhoe)		Backhoe)						
Blade	2.44 m	2.44 m	3.05 m	3.05 m	3.66 m	3.66 m	4.27 m	4.27 m	4.88 m	4.88 m
Width										
Blade	76.2 cm	91.44 cm	76.2 cm	91.44 cm	76.20 cm	106.68 cm	76.20 cm	106.68 cm	76.20 cm	106.68 cm
Height										
Side Plate	91.44 cm	91.44 cm	91.44 cm	91.44 cm	91.44 cm	91.44 cm	91.44 cm	91.44 cm	91.44 cm	91.44 cm
Width										
Side Plate	76.2 cm	91.44 cm	76.2 cm	91.44 cm	76.20 cm	106.68 cm	106.68 cm	106.68 cm	106.68 cm	106.68 cm
Height										
Moldboard	68.58 cm	68.58 cm	68.58 cm	68.58 cm	68.58 cm	116.84 cm	68.58 cm	116.84 cm	68.58 cm	116.84 cm
Radius										
Approx.	2.12 cu m	3.06 cu m	2.66 cu m	3.82 cu m	3.20 cu m	6.20 cu m	3.73 cu m	7.08 cu m	4.28 cu m	7.96 cu m
Snow										
Capacity										
Cutting	TRACE	TRACE	TRACE	TRACE	TRACE	TRACE	TRACE	TRACE	TRACE	TRACE
Edge	Terrain	Terrain	Terrain	Terrain	Terrain	Terrain	Terrain	Terrain	Terrain	Terrain
Technolog	Response	Response	Response	Response	Response	Response	Response	Response	Response	Response
у	Advanced	Advanced	Advanced	Advanced	Advanced	Advanced	Advanced	Advanced	Advanced	Advanced
	Cutting	Cutting	Cutting	Cutting	Cutting	Cutting	Cutting	Cutting	Cutting	Cutting
	Edge	Edge	Edge	Edge	Edge	Edge	Edge	Edge	Edge	Edge
Cutting	High-Carb	High-Carb	High-Carb	High-Carb	High-Carb	High-Carb	High-Carb	High-Carb	High-Carb	High-Carb
Edge	on Steel	on Steel	on Steel	on Steel	on Steel	on Steel	on Steel	on Steel	on Steel	on Steel
Material	With	With	With	With	With	With	With	With	With	With
	Carbide	Carbide	Carbide	Carbide	Carbide	Carbide	Carbide	Carbide	Carbide	Carbide
	Inserts	Inserts	Inserts	Inserts	Inserts	Inserts	Inserts	Inserts	Inserts	Inserts
Mount	Skid-Steer	Skid-Steer	Skid-Steer	Skid-Steer	Coupler	Coupler	Coupler	Coupler	Coupler	Coupler
Туре	Attach	Attach	Attach	Attach						
	Plate	Plate /	Plate	Plate /						
		Coupler		Coupler						

^{*}Does not include vehicle mount weight. Please refer to the Power Match program for specific vehicle applications.