

Renegade Poly

| Imperial | P150C* | P220C* | P150A* | P220A* |
|----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Vehicle Compatibility | 3/4- & 1-Ton Pickup Trucks | Pickup or Dump Body/Flatbed Trucks (Over 15,000 lb GVWR) | 3/4- & 1-Ton Pickup Trucks | Pickup or Dump Body/Flatbed Trucks (Over 15,000 lb GVWR) |
| Material Compatibility | Sand, Salt & 50/50 Mix | Sand, Salt & 50/50 Mix | Bulk Rock Salt | Bulk Rock Salt |
| Capacity (Volume) | 1.5 cu yd | 2.2 cu yd | 1.5 cu yd | 2.2 cu yd |
| Capacity (Weight) | 3,240 lb | 4,752 lb | 3,240 lb | 4,752 lb |
| Spreading Width | Salt: Up to 36' Sand: Up to 24' | Salt: Up to 36' Sand: Up to 24' | Salt: Up to 36' | Salt: Up to 36' |
| Approx. Weight** (Empty) | 723 lb | 823 lb | 673 lb | 793 lb |
| Hopper Length (A) | 96.50" | 104.50" | 96.50" | 104.50" |
| Length from Cab Side to Second Leg (B) | 80" | 87" | 80" | 87" |
| Overall Hopper Length (C) | 108.25" | 116.25" | 108.25" | 116.25" |
| Reference Diagram (A-C) | | | | |
| Width of Hopper Opening (D) | 63.50" | 63.50" | 63.50" | 63.50" |
| Height of Hopper w/o Chute (E) | 46" | 51.50" | 46" | 51.50" |
| Reference Diagram (D-E) | | | | |

Renegade Poly

| | | | | |
|------------------------------|-----------------------------------------------|-----------------------------------------------|-----------------------------------------------|-----------------------------------------------|
| Body Side Length | 7' | 8' | 7' | 8' |
| Rec. Bed Length | 74" | 90" | 74" | 90" |
| Material Delivery Dimensions | 16" Wide | 16" Wide | 6" Diameter | 6" Diameter |
| Hopper Construction | Polyethylene Body, Stainless Steel Drive Line | Polyethylene Body, Stainless Steel Drive Line | Polyethylene Body, Stainless Steel Drive Line | Polyethylene Body, Stainless Steel Drive Line |
| Spinner Size | 16" Diameter | 16" Diameter | 16" Diameter | 16" Diameter |
| Factory Chute Configuration | Short | Long | Short | Long |

| Metric | P150C* | P220C* | P150A* | P220A* |
|----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Models | P150C* | P220C* | P150A* | P220A* |
| Vehicle Compatibility | 3/4- & 1-Ton Pickup Trucks | Pickup or Dump Body/Flatbed Trucks (Over 15,000 lb GVWR) | 3/4- & 1-Ton Pickup Trucks | Pickup or Dump Body/Flatbed Trucks (Over 15,000 lb GVWR) |
| Material Compatibility | Sand, Salt & 50/50 Mix | Sand, Salt & 50/50 Mix | Bulk Rock Salt | Bulk Rock Salt |
| Capacity (Volume) | 1.15 cu m | 1.68 cu m | 1.15 cu m | 1.68 cu m |
| Capacity (Weight) | 1,469.9 kg | 2,155 kg | 1,469.9 kg | 2,155 kg |
| Spreading Width | Salt: Up to 10.97 m Sand: 7.32 m | Salt: Up to 10.97 m Sand: 7.32 m | Salt: Up to 10.97 m | Salt: Up to 10.97 m |
| Approx. Weight** (Empty) | 328 kg | 373.3 kg | 305.3 kg | 360 kg |
| Hopper Length (A) | 245.1 cm | 265.4 cm | 245.1 cm | 265.4 cm |
| Length from Cab Side to Second Leg (B) | 203.2 cm | 221 cm | 203.2 cm | 221 cm |
| Overall Hopper Length (C) | 275 cm | 295.3 cm | 275 cm | 295.3 cm |
| Reference Diagram (A-C) | | | | |
| Width of Hopper Opening (D) | 161.3 cm | 161.3 cm | 161.3 cm | 161.3 cm |
| Height of Hopper w/o Chute (E) | 116.8 cm | 130.8 cm | 116.8 cm | 130.8 cm |

Renegade Poly

| | | | | |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Reference Diagram (D-E) | | | | |
| Body Side Length | 213.4 cm | 243.9 cm | 213.4 cm | 243.9 cm |
| Rec. Bed Length | 188 cm | 228.6 cm | 188 cm | 228.6 cm |
| Material Delivery Dimensions | 40.6 cm | 40.6 cm | 15.24 cm Diameter | 15.24 cm Diameter |
| Hopper Construction | Polyethylene Body, Stainless Steel Drive Line | Polyethylene Body, Stainless Steel Drive Line | Polyethylene Body, Stainless Steel Drive Line | Polyethylene Body, Stainless Steel Drive Line |
| Spinner Size | 40.6 cm Diameter | 40.6 cm Diameter | 40.6 cm Diameter | 40.6 cm Diameter |

* C = Pintle Chain Conveyor / A = HELIXX Shaftless Auger ** Material weight equates to approximately 2,160 lb/cu yd or 80 lb/cu ft for 1 bag of rock salt.